

New York State Department of Health, New York State Cancer Registry

Table 3. Percent of Invasive Cancers Diagnosed at an Early Stage by Gender, Race and Year of Diagnosis, 1976-2003

New York State

All races

Males

Females

Year of Diagnosis	Oral Cavity	Colon _ Rectum	Lung	Melanoma	Prostate	Testis	Oral Cavity	Colon _ Rectum	Lung	Melanoma	Breast	Cervix	Uterus	Ovary
1976	43.4	38.8	24.4	54.6	58.3	54.9	46.2	38.3	21.5	66.2	47.4	57.4	74.5	23.4
1977	38.7	38.7	24.3	59.1	59.7	51.5	51.0	36.4	25.0	70.3	46.9	55.2	74.7	23.9
1978	40.8	38.4	26.6	66.3	59.8	56.9	44.2	37.7	23.7	77.0	46.1	56.2	74.2	23.9
1979	41.0	36.7	25.8	67.9	59.5	55.8	48.0	34.1	23.6	68.6	47.4	57.7	73.3	21.9
1980	41.6	39.5	24.8	70.6	61.3	60.1	44.5	35.7	24.3	78.4	47.1	54.9	74.8	21.6
1981	40.2	36.9	24.8	75.0	60.3	64.0	47.4	36.1	24.3	80.4	47.6	53.4	73.1	22.6
1982	40.6	36.7	24.6	72.6	60.8	59.2	47.1	35.6	23.3	77.4	47.6	51.9	75.5	23.2
1983	39.9	37.1	25.0	70.8	63.0	61.1	48.5	37.1	25.7	79.1	48.5	56.7	73.8	25.8
1984	40.5	38.2	26.2	71.8	62.4	70.3	46.6	37.4	26.1	78.4	51.0	57.1	73.4	24.0
1985	41.4	40.3	24.0	77.1	62.4	61.9	47.8	38.4	25.1	81.4	52.0	58.7	74.9	23.5
1986	42.0	40.8	23.8	74.0	63.2	67.6	51.0	38.7	24.7	82.8	53.2	55.2	73.6	24.4
1987	38.9	41.4	23.9	76.5	64.8	68.5	45.3	38.7	26.3	81.0	55.5	56.0	74.1	24.5
1988	37.6	39.4	25.8	76.7	63.5	67.4	45.9	37.7	26.0	87.9	57.2	58.6	73.0	22.1
1989	36.9	40.5	25.2	77.7	64.8	68.7	46.4	39.4	25.3	81.7	59.8	55.7	75.5	23.7
1990	37.9	40.1	25.2	74.4	66.1	70.2	47.6	40.5	26.5	80.3	60.7	57.2	73.2	23.6
1991	37.6	39.7	24.6	77.4	68.3	67.8	49.4	38.7	25.9	82.3	61.0	58.3	70.3	24.4
1992	40.8	41.7	26.0	72.5	72.8	70.8	46.3	40.4	29.0	78.6	62.3	55.9	74.7	26.9
1993	41.7	43.2	27.6	76.0	73.8	66.1	43.3	40.0	29.0	81.7	63.5	57.1	73.7	25.1
1994	38.0	39.9	25.4	76.9	75.8	70.1	50.5	39.0	27.9	80.3	62.2	54.6	72.4	25.1
1995	37.3	39.7	23.8	75.7	77.6	69.8	51.1	39.6	26.5	84.9	63.2	54.4	71.7	23.9
1996	38.5	40.2	25.5	79.5	81.7	71.5	47.6	38.8	27.0	80.7	64.5	54.0	73.5	25.5
1997	37.3	40.9	25.2	74.0	83.2	74.9	47.6	39.1	29.6	83.9	65.2	56.1	73.9	25.0
1998	40.1	41.7	26.3	80.8	85.2	70.5	52.3	39.6	29.5	83.7	66.8	58.4	75.4	26.9
1999	37.1	42.1	23.7	78.5	86.5	74.0	47.4	38.8	28.0	86.0	66.5	54.5	76.1	23.1
2000	34.5	40.8	22.9	81.1	87.7	74.0	48.9	39.1	25.9	81.6	64.5	54.9	72.7	21.3
2001	33.7	40.2	21.4	80.5	88.7	75.1	46.6	39.1	24.3	85.4	65.7	50.8	74.5	20.5
2002	34.6	41.1	20.7	81.4	89.0	74.4	46.2	37.1	23.0	82.6	64.4	52.9	73.4	21.6
2003	30.1	38.8	19.3	79.9	87.9	74.7	45.1	38.0	22.9	84.7	62.4	51.9	70.3	19.1

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis.

Incidence data provisional, January 2006.

New York State Department of Health, New York State Cancer Registry

Table 3. Percent of Invasive Cancers Diagnosed at an Early Stage by Gender, Race and Year of Diagnosis, 1976-2003

New York City

All races

Year of Diagnosis	Males						Females							
	Oral Cavity	Colon _ Rectum	Lung	Melanoma	Prostate	Testis	Oral Cavity	Colon _ Rectum	Lung	Melanoma	Breast	Cervix	Uterus	Ovary
1976	40.2	40.2	23.8	50.6	58.0	58.0	45.7	40.0	20.2	62.7	45.3	55.4	68.1	22.1
1977	39.9	41.5	22.7	57.3	58.9	48.6	45.3	37.4	24.6	73.5	45.5	54.0	70.4	21.7
1978	36.4	38.0	25.4	64.0	57.6	60.9	40.2	38.0	21.6	71.2	46.3	56.3	71.6	23.2
1979	37.4	37.1	25.9	63.8	58.5	47.6	48.5	34.6	23.1	61.2	46.5	56.3	70.0	21.5
1980	39.9	39.3	23.3	73.5	59.9	59.4	39.0	35.8	24.5	74.9	45.9	55.3	72.2	22.8
1981	38.3	38.5	23.3	72.1	59.0	61.3	44.7	38.0	24.7	80.1	45.7	50.8	70.9	22.2
1982	37.0	37.5	22.2	69.7	57.0	59.0	47.4	37.4	21.8	75.9	45.6	48.9	71.6	20.9
1983	34.0	37.1	22.6	70.9	60.1	55.4	49.1	36.8	23.9	75.8	46.5	57.0	73.5	25.1
1984	36.4	38.3	25.0	71.5	59.9	65.3	44.9	38.7	25.3	76.6	48.4	57.5	71.7	22.1
1985	39.8	39.4	21.4	73.0	59.5	58.9	46.8	38.9	23.3	76.4	50.0	59.8	74.8	22.2
1986	39.5	38.6	22.2	69.0	61.5	71.1	51.5	39.3	24.7	76.9	50.8	55.2	71.0	23.9
1987	34.1	41.9	21.9	69.6	61.9	65.8	45.9	36.8	23.6	79.5	52.8	54.7	71.6	22.2
1988	35.6	37.1	23.0	74.7	61.1	63.3	40.0	35.5	23.2	84.1	54.1	53.5	71.1	22.8
1989	37.8	37.5	22.6	73.5	59.9	71.8	46.0	35.3	22.0	78.3	54.0	51.9	69.7	21.9
1990	33.2	35.5	23.9	65.2	61.6	70.0	44.9	36.4	22.4	76.0	56.0	54.0	68.1	21.7
1991	34.5	35.6	21.2	79.1	63.2	61.5	46.0	34.4	21.7	77.4	55.3	54.5	64.5	21.1
1992	33.8	40.5	22.0	68.8	70.5	70.8	43.2	36.9	26.4	73.9	58.4	54.4	66.9	24.3
1993	36.8	41.9	24.3	72.1	71.3	66.4	41.3	37.7	27.4	81.0	59.4	50.3	66.0	24.3
1994	33.9	38.0	22.1	73.9	74.0	69.0	49.0	37.2	26.3	72.7	59.8	50.6	66.2	24.8
1995	35.4	36.0	22.7	70.7	75.4	71.3	43.8	36.6	25.1	84.1	59.5	52.0	68.1	23.6
1996	36.7	36.3	23.2	75.6	80.1	70.2	38.6	37.4	24.3	76.4	61.0	51.1	69.2	27.2
1997	34.6	37.6	24.3	72.3	81.1	72.9	44.3	36.0	27.9	77.9	63.3	54.3	67.2	26.6
1998	35.5	36.6	24.3	77.9	83.7	66.9	52.7	34.0	25.4	81.8	63.6	56.7	71.8	27.5
1999	34.9	36.2	22.0	79.6	84.5	75.2	40.6	33.7	26.6	86.9	63.2	51.7	71.9	26.3
2000	31.4	35.3	19.7	79.4	87.0	71.5	47.6	34.2	23.3	79.6	60.0	54.7	67.5	20.2
2001	31.5	34.6	19.3	78.6	87.6	70.9	46.3	33.8	22.3	83.7	61.9	45.6	69.1	21.6
2002	29.5	35.3	19.7	76.6	87.4	69.9	40.8	30.7	22.4	81.7	60.6	51.4	70.2	20.6
2003	25.6	36.2	19.9	77.0	88.2	71.9	41.0	34.5	24.1	87.1	59.9	46.3	65.5	20.1

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis.

Incidence data provisional, January 2006.

New York State Department of Health, New York State Cancer Registry

Table 3. Percent of Invasive Cancers Diagnosed at an Early Stage by Gender, Race and Year of Diagnosis, 1976-2003

NYS excl NYC

All races

Males

Females

Year of Diagnosis	Oral Cavity	Colon _ Rectum	Lung	Melanoma	Prostate	Testis	Oral Cavity	Colon _ Rectum	Lung	Melanoma	Breast	Cervix	Uterus	Ovary
1976	46.1	37.7	24.8	57.7	58.5	53.2	46.6	36.9	22.5	68.8	49.2	59.4	78.7	24.5
1977	37.6	36.6	25.5	60.0	60.4	52.8	56.2	35.5	25.3	67.9	48.1	56.7	77.5	25.5
1978	44.5	38.8	27.5	67.6	61.4	55.5	47.1	37.4	25.3	80.6	45.9	56.1	75.9	24.3
1979	44.0	36.4	25.7	70.5	60.3	59.2	47.6	33.7	24.0	73.5	48.2	59.3	75.5	22.2
1980	43.0	39.7	25.7	69.2	62.4	60.4	48.8	35.6	24.1	80.6	48.0	54.6	76.7	20.8
1981	41.7	35.8	25.7	76.5	61.2	65.2	49.4	34.6	24.0	80.5	48.9	56.2	74.4	22.9
1982	43.4	36.2	26.1	74.0	63.4	59.3	46.8	34.3	24.4	78.1	49.0	55.2	77.9	24.9
1983	44.7	37.1	26.3	70.8	65.0	63.6	48.0	37.4	26.8	80.9	49.8	56.5	74.0	26.3
1984	43.8	38.0	27.0	72.0	64.2	72.0	48.1	36.6	26.6	79.6	52.8	56.8	74.5	25.3
1985	42.6	40.9	25.5	79.2	64.3	63.5	48.7	38.1	26.1	83.6	53.2	57.6	74.9	24.5
1986	43.9	42.2	24.6	76.1	64.3	66.0	50.7	38.2	24.7	85.5	54.7	55.3	75.1	24.7
1987	43.0	41.0	25.1	79.7	66.6	69.7	44.9	39.8	27.8	81.6	57.2	57.3	75.4	26.0
1988	39.0	40.8	27.4	77.5	64.9	68.9	49.6	39.2	27.6	89.6	59.0	63.2	74.1	21.7
1989	36.4	42.2	26.5	79.5	67.6	67.5	46.7	41.8	27.1	83.2	63.2	58.8	78.7	24.8
1990	41.7	42.6	25.9	78.2	68.5	70.2	49.4	43.0	28.8	81.8	63.4	60.5	75.8	24.8
1991	39.9	42.1	26.4	76.7	70.8	70.8	51.6	41.3	28.1	84.6	64.6	61.8	73.8	26.4
1992	46.4	42.3	28.4	73.7	73.9	70.7	48.4	42.6	30.4	80.6	64.7	57.5	79.0	28.5
1993	45.4	43.9	29.4	77.6	75.1	65.9	44.7	41.4	29.9	82.0	65.8	63.2	78.0	25.6
1994	41.1	41.0	27.1	78.0	76.9	70.5	51.8	40.2	28.8	83.6	63.9	59.2	76.0	25.3
1995	38.8	42.0	24.3	77.6	78.9	69.3	55.2	41.6	27.2	85.2	65.6	56.8	73.9	24.1
1996	39.8	42.5	26.7	81.0	82.6	72.0	54.0	39.8	28.5	82.7	66.6	56.8	75.9	24.6
1997	39.0	42.7	25.7	74.6	84.3	75.6	49.7	41.2	30.6	86.6	66.4	58.1	78.3	24.1
1998	43.4	44.6	27.3	81.9	86.0	71.9	52.0	43.2	31.5	84.4	68.7	60.3	77.6	26.6
1999	38.6	45.2	24.5	78.2	87.6	73.5	52.1	42.0	28.7	85.6	68.5	57.3	78.8	21.0
2000	36.5	43.9	24.5	81.6	88.1	75.4	49.6	42.0	27.2	82.5	67.2	55.1	75.9	22.0
2001	35.1	43.4	22.5	81.2	89.4	76.9	46.8	42.3	25.2	86.0	67.9	55.9	77.8	19.8
2002	37.6	44.2	21.2	83.0	89.8	76.6	49.6	40.9	23.4	82.9	66.5	54.7	75.3	22.2
2003	33.0	40.3	19.1	80.8	87.8	76.0	47.6	40.1	22.4	84.0	63.9	57.1	73.2	18.5

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis.

Incidence data provisional, January 2006.

New York State Department of Health, New York State Cancer Registry

Table 3. Percent of Invasive Cancers Diagnosed at an Early Stage by Gender, Race and Year of Diagnosis, 1976-2003

New York State

Year of Diagnosis	Males						Females							
	Oral Cavity	Colon _ Rectum	Lung	Melanoma	Prostate	Testis	Oral Cavity	Colon _ Rectum	Lung	Melanoma	Breast	Cervix	Uterus	Ovary
1976	46.0	39.0	24.7	54.3	58.9	55.6	46.3	38.4	21.5	66.3	48.0	58.5	75.7	23.4
1977	40.5	38.9	24.6	58.7	61.2	50.9	53.2	36.8	25.2	70.1	47.5	56.2	75.5	23.6
1978	42.5	38.5	26.9	66.4	61.2	56.3	46.2	38.1	24.1	77.1	46.5	57.3	75.3	23.1
1979	43.7	37.2	26.4	68.1	60.9	55.6	49.4	34.6	24.0	68.8	47.8	60.1	74.4	22.2
1980	43.7	39.8	25.6	70.5	63.4	61.5	45.5	36.1	25.1	78.6	47.9	55.4	75.8	21.6
1981	42.4	37.3	25.3	75.0	61.8	64.2	48.6	36.2	24.1	81.7	48.5	52.8	74.3	22.1
1982	42.7	37.4	25.2	72.7	62.0	59.4	48.6	36.0	23.5	77.2	48.4	53.7	76.4	23.2
1983	42.5	37.4	25.8	70.5	64.5	62.0	49.1	37.9	25.8	78.8	49.1	56.9	74.4	26.0
1984	44.4	38.1	26.8	71.4	63.8	70.1	49.4	37.7	26.9	77.8	51.9	58.5	74.5	24.2
1985	44.2	40.2	24.9	77.6	64.6	62.9	49.4	39.1	25.7	81.2	52.6	59.8	75.5	23.4
1986	44.5	41.3	24.6	74.4	65.2	68.1	52.3	39.1	25.2	82.9	54.3	56.9	74.8	24.4
1987	41.4	41.2	24.4	76.8	66.8	68.1	48.4	39.1	26.7	80.8	56.4	57.0	75.6	24.6
1988	40.0	39.7	26.4	76.6	65.4	67.3	48.5	38.0	26.5	88.4	58.4	60.3	74.7	22.0
1989	38.4	41.3	26.3	77.8	66.4	69.2	48.2	39.9	25.9	82.0	61.5	57.9	77.4	23.8
1990	40.8	40.9	25.8	75.1	68.1	69.1	50.1	41.2	27.9	80.2	62.2	59.3	75.5	23.8
1991	39.8	39.6	25.2	77.0	69.9	67.9	52.1	39.6	26.5	82.8	62.4	60.0	72.0	24.0
1992	43.2	42.0	26.9	72.4	74.2	71.3	48.6	41.0	29.9	78.8	63.6	57.9	76.4	26.5
1993	44.6	43.6	28.7	76.5	74.8	66.8	44.2	40.8	29.9	81.1	64.8	60.7	76.3	25.0
1994	41.8	40.7	26.4	76.6	77.4	69.5	53.2	39.3	28.6	80.6	63.6	54.8	74.4	24.9
1995	40.8	40.5	24.5	75.3	78.9	69.5	53.5	40.5	27.4	84.4	64.8	54.3	73.3	22.8
1996	41.9	41.3	26.0	79.4	82.4	71.7	49.9	39.2	28.0	80.6	66.0	55.3	74.8	24.7
1997	40.0	42.0	26.0	73.8	84.4	75.6	48.1	39.8	30.7	84.4	66.6	56.8	76.1	24.9
1998	42.4	43.0	27.3	80.8	86.3	71.6	54.7	40.8	30.8	83.4	68.2	57.9	77.4	26.3
1999	39.2	43.2	24.5	78.4	87.3	73.8	48.1	40.2	28.6	86.1	67.8	54.1	78.0	22.3
2000	36.8	41.6	24.0	81.0	88.4	74.4	51.8	39.8	26.5	81.2	66.1	54.3	75.4	21.6
2001	34.3	41.5	22.3	80.1	89.3	74.8	47.8	39.9	25.1	84.5	66.8	53.7	76.5	19.8
2002	35.7	41.8	21.0	81.0	89.4	74.8	46.3	38.4	23.3	82.5	66.1	56.4	75.0	20.7
2003	31.6	38.8	19.9	79.2	87.8	73.8	46.1	38.3	23.6	84.6	63.7	51.9	71.7	18.3

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis.

Incidence data provisional, January 2006.

New York State Department of Health, New York State Cancer Registry

Table 3. Percent of Invasive Cancers Diagnosed at an Early Stage by Gender, Race and Year of Diagnosis, 1976-2003

New York City

Year of Diagnosis	Males						Females							
	Oral Cavity	Colon _ Rectum	Lung	Melanoma	Prostate	Testis	Oral Cavity	Colon _ Rectum	Lung	Melanoma	Breast	Cervix	Uterus	Ovary
1976	43.8	41.2	24.3	50.3	59.6	60.3	47.0	40.5	20.4	63.0	46.5	57.5	70.1	22.4
1977	45.2	43.1	23.0	57.1	61.3	47.7	48.3	38.8	25.2	73.6	46.7	55.5	72.6	21.1
1978	38.8	38.0	26.5	64.1	59.3	60.7	43.0	39.4	23.2	71.8	47.8	59.9	73.8	21.5
1979	41.7	38.4	27.4	63.9	61.7	47.4	53.1	35.8	24.3	61.4	47.2	59.9	71.5	21.9
1980	43.8	39.7	25.2	73.7	64.5	60.2	38.8	36.7	25.9	75.1	47.3	56.1	73.4	23.3
1981	42.3	39.2	24.3	72.6	62.1	62.2	44.8	38.9	24.8	84.0	47.7	50.2	74.1	21.6
1982	40.8	39.2	22.6	69.3	59.4	59.6	51.0	38.4	22.3	76.3	47.5	50.0	74.1	21.0
1983	37.0	38.2	24.5	71.1	62.7	56.8	52.0	38.8	24.7	76.6	47.7	58.4	75.7	26.2
1984	42.2	38.7	25.5	70.9	62.0	65.5	50.3	39.4	27.3	76.0	49.9	60.7	74.4	22.2
1985	44.8	39.4	23.5	73.4	64.0	62.0	51.0	40.4	25.0	76.3	51.5	63.1	76.2	22.2
1986	42.8	39.6	24.4	69.8	65.1	72.4	54.9	40.6	26.8	76.8	52.8	61.7	74.3	23.3
1987	36.9	42.2	22.9	69.8	65.9	63.7	51.9	37.6	25.1	79.4	54.2	56.2	74.2	22.2
1988	40.9	37.3	23.9	74.6	64.1	65.0	43.9	35.5	24.0	86.0	56.1	56.3	75.2	22.7
1989	39.4	38.6	24.5	74.2	62.4	75.3	48.2	35.7	22.6	79.5	56.8	52.7	74.1	21.5
1990	38.7	37.1	25.3	67.2	65.6	66.4	51.0	37.6	24.8	77.7	58.4	55.9	72.5	21.2
1991	36.7	35.0	21.6	79.5	66.5	62.5	48.7	35.6	22.0	78.4	57.2	56.9	67.1	20.4
1992	37.2	41.0	23.4	67.4	73.7	71.3	49.0	37.7	27.8	74.4	60.8	56.8	68.7	22.2
1993	39.7	42.6	26.4	74.5	73.3	68.9	42.2	39.0	29.7	80.0	61.4	54.9	70.9	24.6
1994	40.3	39.5	23.5	73.4	76.7	65.7	55.9	37.6	27.8	73.6	62.2	49.6	69.4	24.0
1995	40.2	37.2	24.6	69.1	77.9	70.7	46.5	37.7	27.2	84.2	62.1	50.2	70.3	21.0
1996	40.8	37.8	23.8	76.2	81.4	71.1	41.9	37.5	26.4	77.6	64.0	51.0	70.3	24.6
1997	39.9	39.8	25.9	72.5	82.8	74.2	46.3	36.9	30.1	79.1	65.9	55.4	71.0	26.3
1998	39.0	38.8	26.1	77.8	85.8	71.6	58.1	35.2	27.7	80.5	66.2	55.3	75.8	27.2
1999	37.4	38.0	23.7	80.7	85.9	73.7	37.9	35.6	27.8	87.3	65.6	48.7	75.1	26.2
2000	35.8	36.0	21.1	80.2	88.3	71.9	51.9	34.4	23.9	79.3	62.2	54.1	72.8	20.3
2001	31.1	35.9	21.2	78.1	88.2	68.5	46.6	34.0	24.0	81.2	63.2	50.0	71.7	20.1
2002	30.1	36.3	20.4	74.6	87.6	70.0	37.5	31.2	22.5	82.0	62.8	55.7	73.1	18.1
2003	24.9	35.1	21.8	74.1	87.6	68.6	40.8	33.8	26.2	85.8	61.8	44.0	67.0	18.6

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis.

Incidence data provisional, January 2006.

New York State Department of Health, New York State Cancer Registry

Table 3. Percent of Invasive Cancers Diagnosed at an Early Stage by Gender, Race and Year of Diagnosis, 1976-2003

NYS excl NYC

Year of Diagnosis	Males						Females							
	Oral Cavity	Colon _ Rectum	Lung	Melanoma	Prostate	Testis	Oral Cavity	Colon _ Rectum	Lung	Melanoma	Breast	Cervix	Uterus	Ovary
1976	47.4	37.4	25.0	57.3	58.4	53.3	45.8	36.8	22.3	68.8	49.1	59.1	79.0	24.1
1977	37.3	36.0	25.5	59.5	61.1	52.2	56.8	35.3	25.2	67.6	48.0	56.7	77.2	25.1
1978	44.7	38.8	27.1	67.6	62.3	54.8	48.2	37.2	24.7	80.4	45.6	55.5	76.2	24.1
1979	45.0	36.4	25.8	70.6	60.3	58.8	47.5	33.7	23.9	73.4	48.2	60.3	76.0	22.4
1980	43.7	39.9	25.8	69.0	62.8	62.0	49.7	35.7	24.6	80.6	48.2	55.0	77.3	20.6
1981	42.5	36.2	25.7	76.4	61.6	65.2	50.7	34.5	23.7	80.5	48.9	54.8	74.3	22.5
1982	43.9	36.3	26.5	74.4	63.4	59.3	47.2	34.3	24.3	77.6	48.9	56.2	77.6	24.6
1983	46.1	37.0	26.5	70.2	65.5	64.2	47.5	37.4	26.4	80.1	49.8	55.9	73.7	25.9
1984	45.7	37.8	27.4	71.7	64.7	71.6	48.8	36.7	26.7	78.9	53.0	57.2	74.6	25.4
1985	43.8	40.7	25.6	79.7	65.0	63.3	48.4	38.4	26.1	83.3	53.2	57.7	75.2	24.0
1986	45.4	42.3	24.6	76.2	65.3	66.2	51.0	38.2	24.5	85.7	55.1	53.9	75.0	24.9
1987	44.0	40.7	25.1	79.9	67.3	69.8	46.8	39.9	27.5	81.4	57.5	57.6	76.3	26.0
1988	39.6	40.9	27.5	77.4	65.9	68.0	50.6	39.3	27.6	89.5	59.5	62.6	74.4	21.7
1989	37.9	42.6	27.0	79.3	68.0	67.1	48.3	42.1	27.4	83.2	63.8	60.6	78.9	24.9
1990	42.0	42.6	26.0	78.3	69.1	70.1	49.7	42.9	29.2	81.2	64.1	61.3	76.8	25.0
1991	41.3	41.8	26.6	75.9	71.2	70.2	53.8	41.5	28.5	85.0	65.0	61.8	74.5	25.8
1992	46.7	42.4	28.5	74.0	74.4	71.3	48.4	42.7	30.8	80.6	65.0	58.7	79.8	28.5
1993	47.1	44.0	29.7	77.3	75.3	66.1	45.3	41.6	29.9	81.4	66.4	64.1	78.7	25.2
1994	42.6	41.2	27.5	77.8	77.7	70.8	51.7	40.3	29.0	83.4	64.3	58.6	76.7	25.4
1995	41.1	42.0	24.5	77.6	79.3	69.1	56.2	41.9	27.4	84.4	66.1	56.8	74.7	23.8
1996	42.5	42.9	26.8	80.5	82.7	71.9	53.5	40.1	28.7	81.9	67.0	57.9	76.8	24.8
1997	40.1	43.0	26.0	74.2	84.9	76.1	48.8	41.3	31.0	86.6	66.8	57.6	78.6	24.2
1998	43.9	44.9	27.7	81.7	86.5	71.6	53.2	43.6	32.1	84.4	69.1	59.5	78.1	25.8
1999	40.1	45.5	24.7	77.7	87.8	73.8	52.8	42.3	28.9	85.7	68.8	57.4	79.5	20.5
2000	37.2	44.0	25.1	81.3	88.4	75.5	51.8	42.2	27.5	82.0	67.7	54.4	76.6	22.1
2001	35.5	43.9	22.8	80.7	89.6	77.2	48.3	42.4	25.4	85.5	68.2	55.6	78.6	19.7
2002	37.9	44.0	21.2	82.8	90.1	76.8	50.0	41.5	23.5	82.6	67.4	56.8	75.8	21.9
2003	34.4	40.5	19.2	80.5	87.9	75.7	48.3	40.3	22.7	84.3	64.5	56.3	73.7	18.2

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis.

Incidence data provisional, January 2006.

New York State Department of Health, New York State Cancer Registry

Table 3. Percent of Invasive Cancers Diagnosed at an Early Stage by Gender, Race and Year of Diagnosis, 1976-2003

New York State

Blacks

Year of Diagnosis	Males					Females						
	Oral Cavity	Colon _ Rectum	Lung	Prostate		Oral Cavity	Colon _ Rectum	Lung	Breast	Cervix	Uterus	Ovary
1976	26.8	32.7	21.4	53.9		43.1	35.5	21.2	38.3	53.8	51.2	19.1
1977	30.0	33.5	22.2	49.7		35.8	29.8	22.1	40.8	53.8	61.5	25.5
1978	32.2	34.4	24.4	49.4		32.5	31.1	19.9	39.0	54.0	55.7	31.1
1979	29.5	31.3	21.5	49.1		33.9	28.1	21.7	43.3	51.9	57.0	14.9
1980	30.1	36.6	19.5	48.0		38.5	30.6	18.8	40.1	51.0	62.9	20.7
1981	28.9	31.7	21.5	50.5		40.3	34.1	25.4	37.5	55.0	55.2	26.4
1982	28.6	28.0	21.2	50.3		39.5	29.6	22.1	37.6	48.2	62.5	19.4
1983	28.3	32.1	18.1	51.6		45.6	26.7	24.1	40.5	54.5	61.2	22.7
1984	22.5	38.0	22.6	52.6		33.0	34.0	19.9	43.6	52.1	60.0	16.1
1985	27.7	39.2	17.1	48.3		38.2	30.5	20.3	46.0	54.4	65.8	20.8
1986	31.7	35.3	18.6	50.4		45.0	33.3	20.3	43.0	50.4	53.4	20.3
1987	28.4	40.8	20.9	50.4		29.9	34.6	23.2	47.2	52.4	58.2	19.0
1988	28.0	35.1	21.9	52.3		32.6	34.0	21.7	46.0	52.9	56.9	21.6
1989	28.8	33.8	18.3	53.3		36.7	33.4	19.4	44.4	47.5	53.6	20.7
1990	26.3	31.9	21.7	51.5		37.7	33.2	15.5	47.1	50.0	48.6	18.8
1991	29.7	37.5	20.1	57.6		36.7	32.5	20.0	50.1	51.3	53.4	27.9
1992	27.5	37.5	20.0	63.4		35.5	33.5	19.6	50.1	46.8	57.4	23.6
1993	29.2	36.7	19.1	67.9		39.1	31.3	21.8	51.0	48.3	51.3	21.9
1994	24.4	32.2	18.1	68.5		41.7	32.8	22.6	51.5	52.9	55.8	20.0
1995	25.6	32.3	19.6	71.4		40.3	32.9	18.6	50.8	53.6	57.5	26.8
1996	26.1	30.3	21.2	77.9		37.3	35.0	18.6	53.3	46.8	60.6	30.1
1997	25.5	32.2	19.6	76.5		40.2	31.8	20.6	53.3	52.4	54.7	24.1
1998	29.3	29.5	18.9	80.2		34.1	30.2	19.0	57.0	57.7	58.8	23.6
1999	29.7	31.1	17.1	81.8		35.5	29.6	22.0	55.5	51.9	60.1	22.8
2000	22.4	33.3	15.2	84.0		37.7	32.9	18.8	52.7	54.7	54.2	15.3
2001	24.8	30.7	15.4	86.2		28.6	33.9	17.4	57.9	41.9	57.9	21.3
2002	26.0	36.2	16.3	86.2		34.9	27.3	19.8	51.9	44.2	58.1	20.8
2003	21.9	38.1	14.8	87.8		38.3	34.6	16.7	53.4	46.1	56.6	19.2

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis.

Stage at diagnosis among Blacks is not reported for melanomas or testicular cancers due to the small number of cases per year.

Incidence data provisional, January 2006.

New York State Department of Health, New York State Cancer Registry

Table 3. Percent of Invasive Cancers Diagnosed at an Early Stage by Gender, Race and Year of Diagnosis, 1976-2003

New York City

Blacks

Year of Diagnosis	Males					Females						
	Oral Cavity	Colon _ Rectum	Lung	Prostate		Oral Cavity	Colon _ Rectum	Lung	Breast	Cervix	Uterus	Ovary
1976	26.9	29.2	21.6	52.7		39.0	36.3	19.9	37.4	51.2	52.6	18.5
1977	26.9	29.5	20.8	50.8		34.9	29.1	21.0	39.3	53.5	55.1	23.8
1978	30.7	34.1	21.6	51.2		35.2	30.3	15.6	37.5	52.3	56.1	32.4
1979	28.9	30.1	20.4	46.8		31.4	27.6	20.1	42.5	51.9	56.3	15.1
1980	29.7	37.8	17.5	46.1		38.6	29.7	19.8	39.4	52.0	64.5	19.5
1981	29.0	33.9	20.4	49.3		44.0	34.1	24.8	35.2	52.1	50.9	26.6
1982	26.9	27.5	22.0	48.7		39.4	31.0	20.9	36.0	49.3	58.5	18.4
1983	29.0	31.0	16.5	51.1		38.8	25.9	21.6	39.8	54.5	60.0	21.7
1984	22.6	35.4	23.8	52.7		33.3	34.9	18.4	43.0	52.3	59.9	17.0
1985	27.6	38.1	14.7	47.6		34.3	31.6	17.5	44.2	54.7	66.7	20.4
1986	34.4	33.9	16.4	51.3		45.0	32.2	17.2	42.2	47.5	49.0	24.2
1987	28.7	39.6	19.8	50.2		32.9	34.2	19.0	46.9	52.7	59.0	16.9
1988	26.3	36.1	19.7	54.3		32.4	34.6	20.1	45.8	49.1	54.1	20.2
1989	32.3	34.8	17.6	52.7		38.1	32.2	20.5	44.0	49.7	51.5	22.4
1990	24.1	30.1	20.4	50.5		35.1	30.7	14.8	46.4	50.0	50.0	21.8
1991	30.2	34.4	18.3	55.2		39.3	31.9	19.1	48.7	50.5	53.3	25.3
1992	23.9	36.4	17.1	62.2		32.4	32.1	19.8	48.4	48.4	58.2	24.6
1993	30.4	35.6	16.9	66.1		39.7	31.0	19.7	51.3	46.6	49.1	18.7
1994	24.6	30.9	17.7	68.3		40.0	33.2	21.6	50.8	51.4	53.3	21.7
1995	29.3	29.7	18.5	71.1		40.4	32.3	18.1	49.9	53.6	59.1	24.8
1996	30.2	28.1	20.1	77.4		30.8	35.1	16.5	50.5	47.1	62.0	32.2
1997	25.4	30.6	19.2	77.0		34.4	30.6	19.6	53.0	50.3	51.4	25.6
1998	26.4	26.7	18.8	80.7		31.6	28.7	17.6	55.9	56.5	55.7	18.9
1999	32.7	26.5	15.4	81.0		36.8	28.1	21.0	54.6	51.7	58.4	21.9
2000	21.2	30.3	14.9	84.4		43.4	32.3	18.2	51.9	54.3	52.9	16.1
2001	24.5	28.0	13.5	85.6		34.6	31.8	16.5	57.5	38.3	57.2	22.7
2002	24.1	30.0	14.4	86.4		36.5	24.5	19.1	52.9	44.6	58.5	20.0
2003	22.6	38.4	14.5	88.6		41.8	33.6	17.3	53.3	43.4	56.3	19.8

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis.

Stage at diagnosis among Blacks is not reported for melanomas or testicular cancers due to the small number of cases per year.

Incidence data provisional, January 2006.

New York State Department of Health, New York State Cancer Registry

Table 3. Percent of Invasive Cancers Diagnosed at an Early Stage by Gender, Race and Year of Diagnosis, 1976-2003

NYS excl NYC

Blacks

Year of Diagnosis	Males					Females						
	Oral Cavity	Colon _ Rectum	Lung	Prostate		Oral Cavity	Colon _ Rectum	Lung	Breast	Cervix	Uterus	Ovary
1976	26.5	45.8	20.8	57.9		61.5	33.3	25.6	41.7	62.3	45.8	20.8
1977	41.7	45.6	25.3	46.0		40.0	31.9	25.0	45.6	55.1	82.1	30.8
1978	38.2	35.4	31.8	43.0		26.9	33.7	34.7	44.0	61.2	54.2	27.3
1979	31.7	34.4	24.4	57.1		45.5	30.0	26.2	46.5	52.0	59.4	14.3
1980	31.6	33.0	24.3	55.0		38.1	33.3	16.2	42.4	47.1	58.7	25.0
1981	28.3	25.6	23.9	54.5		31.8	34.0	27.5	44.7	70.6	71.4	25.9
1982	34.1	29.9	19.4	56.2		40.0	25.0	26.1	43.4	42.5	79.3	21.9
1983	26.5	35.9	21.8	53.0		63.2	29.7	31.2	42.7	54.3	66.7	26.9
1984	22.0	45.2	19.5	52.0		31.3	31.0	24.4	46.0	51.1	60.7	12.5
1985	28.0	42.9	22.9	50.6		52.6	26.5	28.1	52.0	52.6	62.8	21.9
1986	21.4	39.6	23.5	47.5		45.0	37.3	30.2	45.5	62.0	67.7	6.9
1987	27.3	44.0	24.0	51.2		22.2	36.3	37.2	48.2	51.1	55.6	26.1
1988	32.7	32.3	26.9	45.4		33.3	32.2	26.3	46.5	68.3	67.5	25.7
1989	23.0	31.3	19.9	55.4		33.3	36.6	16.3	45.7	40.0	63.3	17.1
1990	32.7	36.8	24.6	54.7		50.0	41.1	17.9	49.1	50.8	44.2	9.4
1991	28.6	46.2	24.1	63.2		27.8	34.5	22.1	54.4	54.3	53.8	41.2
1992	38.3	40.0	26.0	66.3		44.0	37.7	19.2	55.2	39.5	55.4	19.2
1993	26.0	39.6	24.2	71.8		37.5	32.4	28.0	50.2	54.3	58.2	29.7
1994	23.5	34.9	19.0	69.1		50.0	31.4	24.8	53.8	60.0	63.3	9.5
1995	16.7	39.0	22.2	72.2		40.0	34.6	19.8	53.4	53.5	51.1	33.3
1996	17.2	35.2	23.8	79.1		58.3	34.8	23.6	61.5	45.6	57.1	24.2
1997	25.8	36.5	20.4	75.4		53.6	35.7	23.4	54.2	64.5	66.7	20.0
1998	37.2	36.2	19.1	79.1		39.3	34.4	22.5	60.2	62.2	68.1	36.4
1999	24.1	40.2	20.6	84.1		31.6	33.9	24.1	57.9	52.6	65.3	25.0
2000	25.6	39.7	15.5	83.0		25.0	34.4	20.5	55.0	56.4	58.7	13.2
2001	25.6	36.3	18.8	87.6		40.3	19.4	59.2	54.8	60.3	16.1	
2002	30.2	48.5	20.0	85.8		30.4	33.2	21.5	49.4	42.5	56.5	23.1
2003	20.0	37.3	15.5	85.8		30.8	37.5	15.3	53.6	54.2	57.6	16.7

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis.

Stage at diagnosis among Blacks is not reported for melanomas or testicular cancers due to the small number of cases per year.

Incidence data provisional, January 2006.

New York State Department of Health, New York State Cancer Registry

Table 3a. Percent of Cancers Diagnosed at an Early Stage by Gender and County, 1999-2003

Males

County	Oral Cavity	Colon _ Rectum	Lung	Melanoma	Prostate	Testis	County	Oral Cavity	Colon _ Rectum	Lung	Melanoma	Prostate	Testis
New York State	34.0	40.6	21.6	80.3	88.0	74.4	Montgomery	50.0*	43.1	20.3	83.3*	86.0	~
New York City	30.6	35.5	20.1	78.2	86.9	72.0	Nassau	37.7	41.0	25.4	84.7	91.2	74.7
NYS excl NYC	36.2	43.5	22.3	81.0	88.6	75.6	Niagara	38.7	49.9	26.7	87.1	87.8	86.7*
Bronx	25.7	36.3	17.3	71.4	84.2	72.0	Oneida	32.3	41.7	18.7	81.8	88.9	54.5
Kings	32.3	34.6	21.3	74.5	87.8	73.3	Onondaga	41.6	55.5	32.8	70.2	90.4	78.3
New York	28.9	37.4	21.1	85.5	84.8	73.0	Ontario	23.7	42.9	22.5	80.6*	83.9	~
Queens	32.0	36.2	20.0	73.5	88.1	70.4	Orange	21.6	37.4	22.2	80.0	87.9	70.8
Richmond	38.9	30.4	19.1	78.1	92.2	70.0	Orleans	~	58.3	22.5	~	88.5	~
Albany	34.8	37.7	17.3	75.0	86.6	90.0*	Oswego	27.3	53.1	27.3	75.0	90.9	88.9*
Allegany	52.6*	42.9	32.7	82.6*	90.8	~	Otsego	47.2	34.1	15.7	96.6*	80.1	~
Broome	33.8	43.1	23.8	84.6	88.7	79.3*	Putnam	37.5	41.1	29.7	71.4	89.5	94.4*
Cattaraugus	34.4	41.1	23.2	77.8	87.8	~	Rensselaer	33.9	36.2	16.2	70.0	89.9	77.3*
Cayuga	60.0*	53.2	32.9	55.6*	88.5	~	Rockland	38.8	44.9	22.7	88.8	90.6	84.2
Chautauqua	34.8	38.3	14.4	83.9	87.0	~	St. Lawrence	46.4	50.3	27.2	76.9*	89.4	~
Chemung	38.9	40.0	14.4	89.7*	82.4	80.0*	Saratoga	31.8	45.5	25.2	86.2	87.3	80.0*
Chenango	41.9	44.6	21.2	95.0*	86.8	~	Schenectady	27.7	44.8	20.2	71.1	82.8	72.2*
Clinton	44.4*	43.2	24.4	71.4	86.5	~	Schoharie	~	22.4	12.3	~	80.2	~
Columbia	25.9	44.2	23.9	73.9*	87.5	~	Schuyler	~	66.7	13.8*	~	84.8	~
Cortland	~	51.4	31.6	~	87.3	~	Seneca	~	50.9	19.3	63.2*	87.5	~
Delaware	38.1*	42.0	22.7	~	84.3	~	Steuben	40.4	28.7	23.4	87.0	81.0	~
Dutchess	33.0	41.8	27.8	78.7	89.9	68.8	Suffolk	33.2	43.0	20.3	77.8	90.7	74.5
Erie	33.4	48.1	23.1	83.3	89.1	78.9	Sullivan	44.4	31.0	15.0	94.1*	83.5	~
Essex	43.5	41.7	23.7	84.0*	75.2	~	Tioga	~	39.2	11.5	74.3	86.9	~
Franklin	50.0*	51.7	33.3	73.7*	84.0	~	Tompkins	26.3*	57.0	23.2	82.6*	91.5	~
Fulton	50.0	31.2	18.1	~	86.3	~	Ulster	31.5	40.5	16.6	81.4	87.2	74.1
Genesee	35.0*	32.3	17.9	85.7*	87.7	~	Warren	30.3	41.0	19.0	93.3*	79.4	~
Greene	26.3*	33.7	14.7	81.3*	84.5	~	Washington	48.5	27.8	14.8	81.8*	81.6	~
Hamilton	~	~	26.3*	~	88.5*	~	Wayne	41.5	36.9	15.9	65.5	86.3	~
Herkimer	43.8*	41.1	18.0	~	85.7	~	Westchester	36.1	41.4	23.7	81.1	88.1	70.6
Jefferson	33.3	53.1	17.6	70.6*	94.7	89.5*	Wyoming	13.3*	52.3	19.7	~	89.2	~
Lewis	~	46.8	24.0*	~	94.5*	~	Yates	~	35.7	14.0	~	84.7	~
Livingston	39.1	38.6	14.0	68.4*	83.7	~							
Madison	47.4*	52.4	25.0	85.7*	90.0	~							
Monroe	43.8	47.1	18.0	80.4	86.5	84.0							

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis.

~ Percent could not be calculated (fewer than 3 cases per year). * Percent should be used with caution.

Incidence data provisional, January 2006.

New York State Department of Health, New York State Cancer Registry

Table 3a. Percent of Cancers Diagnosed at an Early Stage by Gender and County, 1999-2003

Females

County	Oral Cavity	Colon Rectum	Lung	Melanoma	Breast	Cervix	Uterus	Ovary	County	Oral Cavity	Colon Rectum	Lung	Melanoma	Breast	Cervix	Uterus	Ovary
New York State	46.8	38.4	24.8	84.0	64.7	53.1	73.4	21.1	Montgomery	~	34.5	27.5	63.2*	73.0	~	74.6	18.2*
New York City	43.1	33.4	23.7	83.5	61.1	50.2	68.9	21.8	Nassau	54.5	40.4	26.4	85.9	65.4	50.4	77.0	21.6
NYS excl NYC	49.1	41.5	25.3	84.2	66.8	56.1	76.2	20.7	Niagara	46.9	46.2	27.4	81.8	68.9	62.5	77.3	27.4
Bronx	33.8	35.0	20.3	75.6	58.3	49.3	67.1	22.3	Oneida	55.6	42.5	25.3	86.0	69.4	60.5	73.7	17.8
Kings	41.7	33.2	23.0	79.2	59.7	53.8	66.3	23.7	Onondaga	52.4	48.6	34.3	84.3	72.2	61.8	80.1	20.7
New York	43.3	33.2	27.3	91.4	63.7	49.9	69.7	25.1	Ontario	43.8*	41.5	23.0	81.5*	76.3	61.9*	73.2	31.7
Queens	50.2	33.8	23.5	81.6	60.8	46.6	70.9	18.3	Orange	46.7	37.2	20.0	84.4	60.9	49.4	70.7	22.5
Richmond	41.8	29.3	22.9	82.7	65.9	49.0	74.5	18.1	Orleans	~	45.0	20.3	~	70.3	83.3*	75.9	~
Albany	48.2	37.8	19.1	71.4	63.6	52.6	73.1	15.8	Oswego	~	50.9	27.8	89.7*	70.9	61.5	79.2	38.5
Allegany	~	39.8	25.0	82.4*	59.6	~	60.4	22.7*	Otsego	~	39.7	22.2	91.3*	65.4	~	76.0	19.0*
Broome	56.8	38.8	26.2	92.2*	66.1	57.1	84.6	22.5	Putnam	53.3*	46.7	32.8	84.0*	64.1	~	82.2	21.9
Cattaraugus	~	36.0	19.8	83.3*	64.3	65.4	84.0	18.2*	Rensselaer	40.9	36.8	16.7	83.3	66.2	60.7	77.1	9.2
Cayuga	63.6	55.0	30.5	~	74.5	~	89.5	12.0*	Rockland	45.7	40.9	28.1	77.3	63.0	64.2	73.4	19.3
Chautauqua	52.9*	31.1	18.4	91.5*	75.9	77.3*	80.4	21.9	St. Lawrence	56.3*	46.2	37.4	76.5	76.3	56.7	76.7	10.6*
Chemung	43.8*	35.3	22.5	94.7*	76.4	~	88.3	26.5	Saratoga	48.7	46.7	28.2	88.6*	67.4	47.7	73.5	18.1
Chenango	~	38.8	22.1	~	64.3	~	75.0	15.8*	Schenectady	53.8	46.8	25.0	79.2*	68.9	52.0	68.8	15.9
Clinton	~	44.7	32.1	~	71.6	~	69.0	11.1*	Schoharie	~	40.5	19.6	~	65.1	~	61.1*	~
Columbia	~	41.0	35.1	~	60.9	25.0*	75.5	23.5	Schuylerville	~	37.5	41.9	~	71.4	~	81.0*	~
Cortland	~	44.3	34.8	~	72.8	~	77.5	~	Seneca	~	48.0	36.2	~	73.4	~	51.9	~
Delaware	~	43.8	15.6	~	69.3	~	76.7	13.0*	Steuben	64.7*	44.2	31.0	86.8*	68.3	58.8*	68.3	12.8*
Dutchess	37.8	42.7	24.0	88.0	63.3	54.3	78.0	17.6	Suffolk	52.3	40.3	24.7	79.3	64.0	54.7	76.1	24.1
Erie	47.5	44.4	24.5	85.2	65.4	54.8	74.8	22.5	Sullivan	41.2*	36.7	17.7	~	58.4	40.7	71.9	13.8*
Essex	~	33.3	28.8	~	75.9	~	65.2	~	Tioga	~	41.6	24.6	87.5*	65.4	~	66.7	~
Franklin	~	44.6	29.6	~	73.9	~	80.0*	22.2*	Tompkins	~	45.5	29.2	96.0*	71.3	~	92.9*	~
Fulton	~	20.4	14.3	~	67.6	60.0*	91.5*	16.7*	Ulster	41.9	35.1	22.9	80.6	64.2	55.3	79.3	23.3
Genesee	~	34.0	23.0	100.0*	68.7	~	71.4	20.0*	Warren	27.8*	27.3	22.0	95.0*	67.5	26.7*	80.0	30.8
Greene	~	38.2	28.6	~	59.2	~	67.9	25.0*	Washington	~	34.0	30.9	~	70.0	~	71.7	25.0
Hamilton	~	~	15.8*	~	61.8	~	~	~	Wayne	~	40.7	20.3	81.8*	68.4	~	78.1	15.9
Herkimer	~	44.9	21.0	~	59.0	~	68.4	13.8*	Westchester	43.7	40.1	27.7	83.3	65.8	58.9	72.2	16.8
Jefferson	~	58.2	23.2	77.8*	68.2	47.1*	80.0	14.3*	Wyoming	~	47.2	9.5*	~	73.3	~	80.5	~
Lewis	~	51.4	31.3*	~	70.6	~	~	~	Yates	~	22.2*	23.7	~	68.8	~	70.6*	~
Livingston	~	39.8	23.4	~	62.7	~	81.4	26.9									
Madison	~	49.6	35.9	86.7*	75.0	~	87.5*	7.7*									
Monroe	46.4	41.9	19.5	87.0	71.4	56.6	79.6	22.6									

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis.

~ Percent could not be calculated (fewer than 3 cases per year). * Percent should be used with caution.

Incidence data provisional, January 2006.

New York State Department of Health, New York State Cancer Registry

**Table 3a. Percent of Invasive Cancers Diagnosed at an Early Stage,
by United Hospital Fund Neighborhood, New York City, 1999-2003**

Males

Health District	Oral Cavity	Colon - Rectum	Lung	Melanoma	Prostate	Testis
New York State	34.0	40.6	21.6	80.3	88.0	74.4
New York City	30.6	35.5	20.1	78.2	86.9	72.0
Bronx	25.7	36.3	17.3	71.4	84.2	72.0
Crotona - Tremont	12.1	28.1	13.5	~	82.0	~
Fordham - Bronx Park	22.1	35.6	20.8	~	83.4	~
High Bridge - Morrisania	30.8	29.7	7.8	~	81.9	~
Hunts Point - Mott Haven	37.0	31.8	18.3	~	86.6	~
Kingsbridge - Riverdale	19.4*	37.4	23.7	84.4*	84.2	~
Northeast Bronx	37.9	38.5	18.1	~	86.5	~
Pelham - Throgs Neck	26.6	41.8	18.8	74.1	84.3	78.3*
Kings	32.3	34.6	21.3	74.5	87.8	73.3
Bedford Stuyvesant - Crown Heights	25.8	26.5	15.5	~	87.2	56.3*
Bensonhurst - Bay Ridge	44.4	39.8	28.7	76.7	89.6	73.9*
Borough Park	44.8	37.4	21.8	71.4	87.6	77.8*
Canarsie - Flatlands	27.5	28.8	18.0	78.8	89.4	~
Coney Island - Sheepshead Bay	33.7	38.4	27.2	77.9	90.1	78.3*
Downtown - Heights - Slope	24.6	34.6	17.5	67.9	85.4	93.8*
East Flatbush - Flatbush	29.7	33.2	17.9	84.2*	87.7	~
East New York	25.8	27.2	10.9	~	85.8	~
Greenpoint	35.7	29.6	15.9	~	91.1	~
Sunset Park	34.3	40.2	30.0	~	86.3	80.0*
Williamsburg - Bushwick	34.5	31.4	16.9	~	85.6	~
New York	28.9	37.4	21.1	85.5	84.8	73.0
Central Harlem - Morningside Heights	19.6	35.8	10.7	~	79.8	~
Chelsea - Clinton	23.7	38.7	18.6	83.0	87.2	56.0
East Harlem	21.1	20.4	21.9	~	84.2	~
Gramercy Park - Murray Hill	28.0	43.3	28.6	85.3	87.3	72.4
Greenwich Village - Soho	36.7	37.2	22.0	78.3*	85.6	76.5*
Lower Manhattan	~	48.5	29.7	~	91.0	~
Union Square - Lower East Side	31.1	41.2	20.8	90.5*	81.3	61.1*
Upper East Side	30.9	38.7	33.0	88.5	87.2	79.6
Upper West Side	36.6	37.8	22.1	86.5	86.0	78.9
Washington Heights - Inwood	27.9	33.0	10.0	~	83.3	80.0*
Queens	32.0	36.2	20.0	73.5	88.1	70.4
Bayside - Little Neck	15.4*	43.2	19.3	81.8*	89.8	~
Flushing - Clearview	35.7	38.2	22.0	62.8	91.1	75.0*
Fresh Meadows	30.4*	32.4	20.5	90.5*	92.0	~
Jamaica	32.4	36.2	15.8	~	89.2	~
Long Island City - Astoria	28.8	33.6	24.5	73.3	85.1	74.1
Ridgewood - Forest Hills	36.5	35.9	23.5	79.2	88.6	67.9
Rockaway	19.6	52.6	21.3	60.7	85.2	~
Southeast Queens	33.3	35.3	18.4	88.2*	87.8	~
Southwest Queens	26.3	33.9	19.8	57.7	88.3	63.0
West Queens	40.2	31.6	17.0	73.2	85.1	65.2
Richmond	38.9	30.4	19.1	78.1	92.2	70.0
Port Richmond	~	25.0	17.4	~	91.5	~
South Beach - Tottenville	45.7	33.0	21.7	84.9	92.2	75.0
Stapleton - St. George	38.9	26.4	18.1	77.8*	91.1	64.7*
Willowbrook	26.7*	32.5	16.4	55.0*	93.7	~

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis. Incidence data provisional, January 2006.

~ Percent could not be calculated (fewer than 3 cases per year). * Percent should be used with caution.

New York State Department of Health, New York State Cancer Registry

**Table 3a. Percent of Invasive Cancers Diagnosed at an Early Stage,
by United Hospital Fund Neighborhood, New York City, 1999-2003**

Females

Health District	Oral Cavity	Colon Rectum	Lung	Melanoma	Breast	Cervix	Uterus	Ovary
New York State	46.8	38.4	24.8	84.0	64.7	53.1	73.4	21.1
New York City	43.1	33.4	23.7	83.5	61.1	50.2	68.9	21.8
Bronx	33.8	35.0	20.3	75.6	58.3	49.3	67.1	22.3
Crotona - Tremont	21.7*	29.2	16.4	~	51.6	47.8	61.8	15.0
Fordham - Bronx Park	34.8	27.8	22.3	~	57.9	60.9	64.8	25.9
High Bridge - Morrisania	24.0*	32.0	21.2	~	54.7	39.7	62.5	11.4*
Hunts Point - Mott Haven	~	29.6	17.9	~	54.8	45.2	62.7	30.0*
Kingsbridge - Riverdale	54.2	47.2	18.7	89.5*	66.2	37.5*	69.6	9.1*
Northeast Bronx	43.5	38.4	19.2	~	57.1	45.5	66.7	23.0
Pelham - Throgs Neck	24.2	36.2	22.2	65.4	61.5	53.9	72.4	30.6
Kings	41.7	33.2	23.0	79.2	59.7	53.8	66.3	23.7
Bedford Stuyvesant - Crown Heights	42.1	28.6	18.5	~	53.5	50.0	53.7	13.3
Bensonhurst - Bay Ridge	28.6	37.6	31.4	87.2*	65.5	65.8	77.3	27.4
Borough Park	34.9	30.6	28.0	73.6	61.1	51.0	71.5	21.7
Canarsie - Flatlands	43.5	27.7	18.9	60.0*	60.9	43.6	68.4	33.9
Coney Island - Sheepshead Bay	45.5	35.8	25.6	82.9	62.9	53.2	69.9	26.2
Downtown - Heights - Slope	25.9	27.9	20.7	86.2*	62.0	45.5	67.6	21.4
East Flatbush - Flatbush	51.7	30.7	17.8	~	53.4	55.9	58.8	24.4
East New York	~	36.9	13.3	~	54.6	60.0	56.0	14.8*
Greenpoint	~	41.4	17.7	~	57.4	56.4	69.8	23.1
Sunset Park	~	42.4	28.9	~	70.2	58.3	73.1	22.7*
Williamsburg - Bushwick	55.0*	37.1	16.4	~	53.6	59.7	54.4	23.1*
New York	43.3	33.2	27.3	91.4	63.7	49.9	69.7	25.1
Central Harlem - Morningside Heights	45.5	33.8	18.2	~	55.9	52.9	65.3	17.4
Chelsea - Clinton	50.0	35.2	24.8	93.8*	65.0	47.1*	69.4	30.8
East Harlem	33.3*	28.9	21.6	~	56.0	35.0	53.6	19.4*
Gramercy Park - Murray Hill	52.0	32.5	25.0	91.8*	70.6	62.5	77.3	27.9
Greenwich Village - Soho	~	35.4	29.9	80.8*	64.3	~	77.1	41.7
Lower Manhattan	~	22.9	32.1	~	61.2	~	64.7*	~
Union Square - Lower East Side	56.7	33.6	31.9	90.0*	64.9	58.3	66.4	21.1
Upper East Side	38.9	34.8	36.6	92.5	66.0	56.1	72.4	25.6
Upper West Side	46.3	36.7	29.7	93.9*	65.9	58.8	72.8	21.3
Washington Heights - Inwood	37.1	28.6	17.5	~	57.3	40.8	65.7	30.9
Queens	50.2	33.8	23.5	81.6	60.8	46.6	70.9	18.3
Bayside - Little Neck	68.4*	37.3	28.4	97.1*	65.8	~	77.2	8.6*
Flushing - Clearview	62.9	39.0	24.0	81.0	64.5	45.8	71.4	20.0
Fresh Meadows	~	32.0	23.4	85.0*	63.4	43.8*	85.7	31.4
Jamaica	35.4	33.0	20.2	~	55.2	48.8	62.3	10.2
Long Island City - Astoria	44.8	40.0	28.5	81.1	56.8	52.1	75.5	24.6
Ridgewood - Forest Hills	46.9	31.8	25.8	82.8	61.2	46.3	70.3	15.1
Rockaway	47.1*	34.0	27.0	75.0	62.2	44.4	71.1	12.2*
Southeast Queens	50.0	34.3	19.6	85.7*	61.3	37.7	66.2	19.0
Southwest Queens	60.7	29.8	26.2	76.5	62.5	56.9	71.3	19.8
West Queens	45.0	29.6	17.7	74.5	59.0	41.9	72.3	20.4
Richmond	41.8	29.3	22.9	82.7	65.9	49.0	74.5	18.1
Port Richmond	~	27.4	22.0	~	67.4	~	87.2	19.0*
South Beach - Tottenville	33.3	30.1	24.5	91.3*	66.3	72.0	75.5	19.5
Stapleton - St. George	33.3*	37.1	19.2	68.0	61.7	36.4	67.1	16.3
Willowbrook	~	19.1	24.4	85.0*	68.8	43.5	72.9	16.7*

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis. Incidence data provisional, January 2006.

* Percent could not be calculated (fewer than 3 cases per year). * Percent should be used with caution.